

Telopea 2(6): 705–714 (1986)

705

ALTERATIONS TO THE CENSUS OF NEW SOUTH WALES PLANTS

S. W. L. JACOBS & L. LAPINPURO

(Accepted for publication 11.4.1984)

ABSTRACT

Jacobs, S. W. L. & Lapinpuro, L. (National Herbarium of New South Wales, Royal Botanic Gardens, Sydney, Australia 2000) 1986. Alterations to the Census of New South Wales plants. *Telopea* 2(6): 705–714 — Corrections and additions are made to Jacobs & Pickard, *Plants of New South Wales*, (1981) to update the information presented in that publication.

INTRODUCTION

Future corrections and additions were forecast in the original publication of a census of New South Wales plants (Jacobs & Pickard 1981). This present paper is the first attempt to update the information.

The alterations are mainly concerned with information for New South Wales, the principal concern of the Census, and corrections for extra-New South Wales distributions are only made where alterations are being made to the New South Wales information.

Alterations have been incorporated where we have been notified, through the taxonomic botanist responsible for the curation of the family, of any taxonomic or geographic inaccuracies. While geographic alterations tend to flow through fairly rapidly, there is usually some delay before a taxonomic treatment is evaluated by the taxonomist curating the group and its acceptance communicated. The length of these delays is quite variable, even for one botanist. Thus the omission of any taxonomic treatment in these alterations is in no way a comment by us to its acceptance and adoption by our institution.

The same abbreviations are used as in the original publications. As before, the arrangement is alphabetical with monocotyledons preceding dicotyledons. Deletion of the entry for a family or genus implies deletion of all names included therein.

In accordance with a recent change in the International Code of Botanical Nomenclature, epithets ending in ‘-eranus’, ‘-erana’ and ‘-eranum’ should be altered to ‘-erianus’, ‘-eriana’ and ‘-erianum’ respectively, e.g. *hookerianus*, *forsteriana*, *billardierianum*.

ACKNOWLEDGMENTS

We wish to thank our colleagues at the National Herbarium who have kept us fed with alterations; in particular we would like to thank Teresa James, Marie Taylor, Karen Wilson and Joy Everett. We would also like to thank Bill

Mulham for drawing our attention to many extensions of range in the south-western areas of the State, and Dr J. H. Willis for his helpful list of corrections.

REFERENCE

Jacobs, S. W. L. & Pickard, J. (1981). 'Plants of New South Wales' (Govt Printer: Sydney).

ALTERATIONS AND ADDITIONS

ALLIACEAE

Allium

add: **A. neapolitanum* Cyrillo; †CWS, †SWS;
, S; Medit

AMARYLLIDACEAE

delete *Euryclis* Salisb. and **replace by**:
PROIPHYS Lindl.

P. cunninghamii (Lindl.) Mabberley

CENTROLEPIDACEAE

Centrolepis

C. polygyna **add:** SWP

C. strigosa **add:** SWP

CYPERACEAE

Baumea

delete: *B.* sp. C and **replace by**:
B. johnsonii K. L. Wilson

add: **BOLBOSCHOENUS** (Aschers.) Palla
B. caldwellii (V. J. Cook) Soják; NC, CC, SC,
ST, CWS, SWS, NWP; VTSW; NZ

[*Scirpus caldwellii* V. J. Cook]
B. fluvialis (Torrey) Soják; NC, CC, SC; Q;
NZ, Asia, N Amer

[*Scirpus maritimus* L. var. *fluvialis* Torrey,
S. fluvialis (Torrey) A. Gray]

B. medianus (V. J. Cook) Soják; CC, NT, ST,
CWS, NWP, SFWP; VTS; NZ, NG

[*Scirpus medianus* V. J. Cook]

Carex

delete: *C. curta* Good. and **replace by**:
C. canescens L.

[*C. curta* Good.]

Caustis

C. flexuosa **add:** NC

Cyperus

C. compressus **add:** †NC

add: **C. dubius* Rottb.; †NC; trop, S Afr

[*Mariscus dubius* (Rottb.) Küenthal ex

Fischer]

C. eragrostis **add:** †NWS

C. exaltatus **add:** SFWP

C. gunnii **add:** NT

C. polystachyos **add:** ?*

C. sanguinolentus **add:** CWS, SWS

C. tenellus **add:** ?*, SWP

C. unioloides **add:** NC, ?ST

Fimbristylis

F. nutans **add:** CC

Gahnia

G. radula **add:** NC

add: ISOLEPIS R.Br.

I. aucklandica Hook. f.; NT, ST; QVT; NG,
NZ

[*Scirpus aucklandicus* (Hook. f.) Boeck.]

I. australiensis (Maiden & Betche) K. L.
Wilson; NT, CT, CWS, NWP, NFWP;

QVYS; ?NZ

[*Scirpus cernuus* var. *australiensis* Maiden &
Betche, *S. australiensis* (Maiden & Betche)
S. T. Blake, *S. multicaulis* F. Muell. non Sm.
nec Gmel. nec Schldl.]

I. cernua (Vahl) Roem. & Schult.; NC, CC, SC,
CT, ST, CWS; QVTSW; cosmop
[*Scirpus cernuus* Vahl, *S. psammophilus* S.
T. Blake]

I. congrua Nees; CWS, NWP, SWP, NFWP;
VYSW

[*Scirpus congrua* (Nees) S. T. Blake,
S. kochii Maiden & Betche]

I. crassiuscula Hook. f.; NT, ST; QVT; NG,
NZ, Japan

[*Scirpus crassiusculus* (Hook. f.) Benth.,
Eleogiton crassiusculus (Hook. f.) Soják]

I. fluitans (L.) R. Br.; CC, SC, NT, ST; VTSW;
Eur, Afr, Asia, NZ

[*Scirpus fluitans* L., *S. lenticularis* Poir.]

I. habra (E. Edgar) Soják; NT, CT, ST, SWS;
VT; NZ, ?NG

[*Scirpus habrus* E. Edgar]

I. hookeriana Boeck.; CC, NT, CT, ST, NWS,
SWS, NWP, SWP; QVTSW; NZ

[*Scirpus hookerianus* (Boeck.) S. T. Blake, *S. colocarpus* S. T. Blake, *S. setaceus* auct.
austr. non L.]

***I. hystric** (Thunb.) Nees; †SWP; V; S Afr

[*Scirpus hystric* Thunb.]

I. inundata R. Br.; NC, CC, SC, NT, CT, ST,
SWS; QVTSW; S Amer, Malesia

[*Scirpus inundatus* (R. Br.) Poir. *S.*

inundatus var. *floribundus* Benth., *S.*

inundatus f. *urvillei* (Boeck.) Küenthal]

I. marginata (Thunb.) A. Dietr.; CC, CT, ST,
CWS, SWP, SFWP; VTSW; NZ, S Afr

[*Scirpus marginatus* Thunb., *S. antarcticus*
auct. non L., *S. cartilagineus* (R. Br.) Poir.]

I. montivaga (S. T. Blake) K. L. Wilson; ST; V

[*Scirpus montivagus* S. T. Blake]

I. nodosa (Rottb.) R. Br.; LHI, NC, CC, SC;

QVTSW; temp S hemi

[*Scirpus nodosus* Rottb., *Holoschoenus*

nodosus (Rottb.) A. Dietr.]

I. platycarpa (S. T. Blake) Soják; CC, ST, SWS,

VTSW; NZ

[*Scirpus platycarpus* S. T. Blake]

- I. producta** (C. B. Clarke) K. L. Wilson; SC; VTS
 [Scirpus productus C. B. Clarke]
***I. prolifera** (Rottb.) R. Br.; †CC, †SC, †CT; ?VW; S Afr, NZ
 [Scirpus prolifer Rottb.]
***I. sepulcralis** Steud.; †NC, †CC; S Afr, NZ
 [Scirpus chlorostachys Levyns, S. sp. sensu Jacobs & Pickard]
I. stellata (C. B. Clarke) K. L. Wilson; ?†CC; VTSW
 [Scirpus stellatus C. B. Clarke]
I. subtilissima Boeck.; NC, SC, NT, CT; QVT; Malesia, NZ
 [Scirpus subtilissimus (Boeck.) S. T. Blake, S. merrillii (Palla) Kükenthal ex Merr.]
I. victoriensis (N. A. Wakef.) K. L. Wilson; CWS, SWS, SWP; V ?S
 [Scirpus victoriensis N. A. Wakef.]
- Lipocarpha*
L. microcephala add: NC
 [Rikliella australiensis J. Raynal, Scirpus squarrosum L. var. dietrichiae (Boeck.) Benth.]
delete: *Rikliella*
add: *SCHOENOPLECTUS* Palla
S. dissachanthus (S. T. Blake) J. Raynal; NWP, SWP; QVYSW
 [Scirpus dissachanthus S. T. Blake]
***S. erectus** (Poir.) Palla ex J. Raynal; †CC, †NWP; QV; Afr
 [Scirpus raynalii Schuyler, Scirpus lateriflorus Gmel. misappl., Scirpus supinus L. misappl.]
S. laevis (S. T. Blake) J. Raynal; NWP; QYW
 [Scirpus laevis S. T. Blake]
***S. lineolatus** (Franch. & Sav.) T. Koyama; †CC; V; Japan
 [Scirpus lineolatus Franch. & Sav., Scirpus forsythii Kükenthal]
?*S. litoralis (Schrad.) Palla; NC, CC; QYSW; Eur, Asia
 [Scirpus litoralis Schrad.]
S. mucronatus (L.) Palla ex Kerner; NC, CC, NT, NWS; QYW; Eur, Asia
 [Scirpus mucronatus L.]
S. pungens (Vahl) Palla; ST, CWS, SWS; VTS; Eur, Amer, NZ
 [Scirpus pungens Vahl, *Scirpus americanus* auct. non Pers.]
S. validus (Vahl) A. Löve & D. Löve; NC, CC, SC, NT, ST, NWS, SWS, NWP, SFWP; QVTSW; Amer, NZ, N Caled
 [Scirpus validus Vahl, *Scirpus lacustris* auct. austr. non L.]
Scirpus
delete: all species except *S. polystachyus*
 F. Muell.
Scleria
S. mackaviensis add: CT
add: *TRACHYSTYLIS* S. T. Blake
T. stradbrokeensis (Domin) Kükenthal; NC; Q
- HYPOXIDACEAE**
Hypoxis
delete: *H. pusilla* Hook. f. and replace by:
H. hookeri Geerinck
 [*H. pusilla* Hook. f.]

- IRIDACEAE**
add: **ANOMATHECA* Ker Gawler
***A. laxa** (Thunb.) Goldblatt; †CC; S Afr
 [*Lapeirousia laxa* (Thunb.) N.E.Br.]
correct to: *Diplarréna*
Gladiolus
add: **G. angustus* L.; †CC; S Afr
***G. carneus** Delaroche; †CC; S Afr
delete: *G. x colvillei*
Homeria
add: **H. collina* (Thunb.) Salisb.; †NC, †CC, †SC, †SWS; W; S Afr
H. flaccida delete: NC, SWS, SWP
H. miniata delete: CC; add: SWP
add: **H. ochroleuca* Salisb.; †CC, †SWS, †SWP; S; S Afr
Ixia
change *I. columellaris* to:
***I. polystachya** L.; †CC; S Afr
 [*I. columellaris* Ker Gawler misappl.]
delete: *Lapeirousia*
Sisyrinchium
S. micranthum add: †NWS
Watsonia
delete: *W. angusta* and replace by:
***W. bulbillifera** J. Mathews & L. Bolus
 [*W. angusta* Ker Gawler misappl.]
- JUNCACEAE**
Juncus
J. acutus add: †CWS
- JUNCAGINACEAE**
Triglochin
T. calcitrapa add: SFWP
- LILIACEAE**
delete: *Anguillaria*
Thysanotus
T. baueri add: SFWP
add: *WURMBEA* Thunb.
W. biglandulosa (R. Br.) Macfarlane; NC, SC, NT, ST, NWS, CWS, SWS, NWP; V
 [*Anguillaria biglandulosa* R. Br.]
W. dioica (R. Br.) F. Muell.
 [*Anguillaria dioica* R. Br.]
ssp. *dioica*; CC, NT, CT, ST, NWS, CWS, SWS, NWP, SWP, NFWP; QVTSW
W. latifolia Macfarlane; ST, CWS, SWS; VS
W. uniflora (R. Br.) Macfarlane; SC
 [*Anguillaria uniflora* R. Br.]
- ORCHIDACEAE**
Dipodium
D. hamiltonianum add: SWS; V
- POACEAE**
Amphibromus
replace all species by:
A. fluitans Kirk; SWS, SWP; V; NZ
 [*A. gracilis* P. F. Morris]
A. macrorhinus S. Jacobs & Lapinpuro; SWS, SWP; VTS
A. nervosa (J. D. Hooker) Druce; CC, NT, CT, ST, NWS, CWS, SWS, NWP, SWP, SFWP; VTSW
 [*A. neesii* auct. non Steud.]

- *A. pithogastrus* S. Jacobs & Lapinpuro; NT, CT, ST, SWS; V
[A. sp. A sensu Jacobs & Pickard]
A. sinuatus S. Jacobs & Lapinpuro; NT; V
Andropogon
A. virginicus add: †CWS
Bromus
delete: **B. unioloides* Kunth and replace by:
**B. catharticus* Vahl
[*B. unioloides* Kunth, *B. willdenowii* Kunth]
Chionochloa
add: *C. pallida* (R. Br.) S. Jacobs; NC, CC, SC, NT, CT, ST, NWS, CWS, SWS, SWP; V
[*Danthonia pallida* R. Br., *Notodanthonia pallida* (R. Br.) Veldkamp]
Danthonia
delete: *D. pallida* R. Br.
Eleusine
E. indica add: †NWS, †SWP
add: **HAINARDIA* Greuter
**H. cylindrica* (Willd.) Greuter; †LHI, †NC, †CC, †ST, †NWS, †CWS, †SWS, †NWP, †SWP; VT; Eur, Amer
[*Monerma cylindrica* (Willd.) Cosson & Durieu]
Homopholis
H. belsonii delete: NWP; add: NWS
Hordeum
H. leporinum add: †NT, †CT, †CWS
Koeleria
replace: *K. cristata* by:
K. macrantha (Ledeb.) Schultes
[*K. cristata* (L.) Pers.]
Lophochloa
L. cristata correct to: Hylander
Microlaena
M. stipoides var. *stipoides* add: LHI
delete: *Monerma*
Panicum
P. coloratum var. *makarikariense* add: †NC
P. effusum add: SFWP
Paspalum
P. distichum change synonymy to:
[*P. paspalodes* (Michx.) Scribn.];
change distribution to: LHI, NC, CC, NT, CT, ST, NWS, CWS, NWP, SWP, NFWP, QVYSW; trop, subtrop
P. notatum add: †NWS
delete: *P. paspalodes*
add: *P. vaginatum* Sw.; LHI, NC, CC, SC, CWS; QYW; trop, subtrop
[*P. littorale* R.Br.]
correct to: *Pentaschistis*
P. airoides add: †SWP
Phalaris
P. paradoxa add: †NFWP
Spinifex
replace: *S. hirsutus* by:
S. sericeus R.Br.; LHI, NC, CC, SC; QVTS; NZ, N Caled
[*S. hirsutus* auct. non Labill.]
Stipa
This genus is still under revision.

- Triraphis*
T. molis add: CWS
- POTAMOGETONACEAE
Potamogeton
P. ochreatus add: NWS
add: *RUPPIA* L.
R. maritima L.; NC, SC, SWP; QVYSW; Eur
R. megacarpa R. Mason; NC, CC, SC, ST, SWP; VWS; NZ
[*R. spiralis* auct. non L. ex Dumort.,
R. cirrhosa auct. non (Petagna) Grande]
R. polycarpa R. Mason; CC, SC; VTSW; NZ
[*R. spiralis* auct. non L. ex Dumort.,
R. cirrhosa auct. non (Petagna) Grande]
- delete: RUPPIACEAE
- XANTHORRHOEACEAE
Xanthorrhoea
X. australis ssp. *australis* (western form) add: SWP
X. johnsonii
delete: ssp. *fulva*
delete: ssp. *johnsonii*
X. minor add: ST; VTS; delete: Q
- AIZOACEAE
delete: *Aizoon*
Glinus
G. oppositifolia add: SFWP
add: *GUNNIOPSIS* Pax
G. quadrifida (F. Muell.) Pax; NFWP; QYSW
[*Aizoon quadrifidum* (F. Muell.) F. Muell.]
G. papillata Chinnock; NFWP; QYS
[*Aizoon zygophylloides* F. Muell. misappl.]
G. septifraga (F. Muell.) Chinnock; NFWP, SFWP; YSW
[*Neogunnia septifraga* (F. Muell.) Pax & K. Hoffm.]
- Mollugo*
M. verticillata add: NWS
delete: *Neogunnia*
- AMARANTHACEAE
Alternanthera
A. angustifolia add: SWP
A. nana add: CWS
Amaranthus
add: **A. cruentus* L.; †CC, †SWS; Eur, Amer
A. retroflexus add: †NWS
- Ptilotus*
add: *P. extenuatus* Benl; SWP
- APIACEAE
Apium
add: **A. graveolens* L.; †CC, †SWP; Y; Eur, Asia, Afr, Amer
- Hydrocotyle*
H. laxiflora add: SWP
- APOCYNACEAE
Alstonia
A. constricta
'pubescent' form add: CWS
- Alyxia*
A. ruscifolia add: CC

- ASCLEPIADACEAE**
- Tylophora*
T. grandiflora add: CWS
- ASTERACEAE**
- Actites*
A. megalocarpa add: LHI
- Ambrosia*
A. tenuifolia add: NFWP
- Angianthus*
delete: *A. pusillus*
- correct *Artemisia* to *Artemisia*
A. arborescens add: †SWP
- Baccharis*
B. halimifolia add: *CC
- Bidens*
B. pilosa add: NT
B. subalternans add: SWP
- Brachycome*
B. campylocarpa add: NFWP
- GEN. NOV. change to: CAMPTACRA N.
Burb.
- C. sp.* change to: *C. brachycomoides* (F. Muell.)
N. Burb.; add: Y
add: *C. barbata* N. Burb.; NWS; Q
- Carthamus*
C. tinctorius add: †CT
add: CHRYSOCORYNE Endl.
- C. pusilla* (Benth.) Endl.; NWS, NWP, SWP,
NFWP, SFWP; QVYSW
[*Angianthus pusillus* (Benth.) Benth.]
- Cratystylis*
change to: *C. conocephala*; SFWP
- Galinsoga*
G. parviflora add: †SWP
- Gnaphalium*
add: **G. coarctatum* Willd.; †LHI, †NC, †CC,
†SC, †NT, †NWS, †CWS, †SWS; QV; Amer
[*G. spicatum* Lamk.]
delete: *G. candidissimum*
G. indutum add: ?SWP
delete: *G. luteo-album*
delete: *G. spicatum*
- Helianthus*
H. annuus add: †ST
- Helichrysum*
add: *H. whitei* N. Burb.; NC; Q
- Helipterum*
H. strictum add: NWS
- Hypochoeris*
H. glabra add: †NFWP
- Olearia*
O. calcarea add: SFWP
O. rufis var. *rufis* add: SFWP
O. subspicata add: NFWP
- Onopordum*
O. acaulon add: †NFWP
- add: PARTHENIUM L.
- P. hysterophorus* L.; NWP; Q; Amer, Afr, NZ,
N Caled
- Picris*
P. hieracioides
change to: ssp. *hieracioides*
- add: PSEUDOGNAPHALIUM Kirpichnikov
P. luteoalbum (L.) Hilliard & Burtt; LHI, NC,
CC, SC, NT, CT, ST, NWS, CWS, SWS,
NWP, SWP, NFWP, SFWP; QVTYSW
[*Gnaphalium luteo-album* L.]
- Senecio*
S. cunninghamii add: ST
add: *S. georgianus* DC.; ST
delete: *S. sp. G*
delete: *S. sp. K*
Previous record not substantiated
delete: *S. georgianus*
- Soliva*
S. stolonifera add: †SWP
- Sonchus*
S. asper ssp. *glaucescens* add: †NFWP
- Tolpis*
T. umbellata add: †NC
add: *UROSPERMUM Scop.
**U. picrodes* (L.) Scop. ex F. W. Schmidt;
SWP; VS; Medit
- add: *VELLEREOPHYTON Hilliard &
Burtt
- **V. dealbatum* (Thunb.) Hilliard & Burtt; †CC;
VTS; S Afr
[*Gnaphalium candidissimum* Lamk.]
- Vittadinia*
add: *V. arida* N. Burb.; NFWP; QYSW
- V. sp.* A change to:
V. cervicalis N. Burb.
var. A change to: var. *cervicularis*
var. B change to: var. *subcervicularis* N.
Burb.
delete: f. a, f. b
- V. sp.* B change to:
V. condyloides N. Burb.
- V. cuneata*
var. A change to: var. *cuneata*
f. a change to: f. *minor*
f. b change to: f. *cuneata*
var. B change to: var. *hirsuta* N. Burb.
var. C change to: var. *morrisonii* N. Burb.
- V. sp.* C change to:
V. dissecta N. Burb.
var. A change to: var. *dissecta*
var. B and var. C change to: var. *hirta* N.
Burb.
- V. sp.* D change to:
V. eremaea N. Burb.
- V. sp.* E change to:
V. gracilis N. Burb.
- V. sp.* F change to:
V. sulcata N. Burb.
- V. hispidula*
var. *hispidula* change to: var. *setosa* N. Burb.
var. A change to: var. *hispidula*
- V. sp.* G change to:
V. muelleri N. Burb.
- V. sp.* H change to:
V. pustulata N. Burb.
- BORAGINACEAE**
- add: *NEATOSTEMA I. M. Johnston

- **N. apulum* (L.) I. M. Johnston; †SFWP; S;
Medit
- BRASSICACEAE**
- Lepidium*
L. campestre add: †SC
- CABOMBACEAE**
- add: **CABOMBA* Aubl.
**C. caroliniana* Gray; †NC, †CC; Amer
Riccob.; †CWS; Amer
- CACTACEAE**
- add: **ERIOCEREUS* (A. Berger) Riccob.
**E. martinii* (Labouret) Riccob.; †NWP; Amer
**E. tortuosus* (J. Forbes ex Otto & A. Dietr.)
Riccob.; †CWS; Amer
- Opuntia*
O. aurantiaca add: †CC
- CAESALPINIACEAE change to: subfamily
Caesalpinioideae (of FABACEAE)**
- add: **DELONIX* Raf.
**D. regia* (Bojer) Rafin.; †NWP; Asia, Pac I
- CALLITRICHACEAE**
- add: *C. cycloarpa* Hegelm.; SWP; V
C. stagnalis add: NFWP
- CARYOPHYLLACEAE**
- Silene*
delete: *S. alba*
add: **S. pratensis* (Rafn) Godron & Gren.;
†NC, †CC, †SC, †NT, †CT, †ST; VTS;
Eur, W Asia
[*S. alba* (Miller) E. H. L. Krause, *Lychnis*
alba Miller]
- Spergula*
S. arvensis add: †SWP
add: **S. pentandra* L.; †SWP; V; Eur
- CASUARINACEAE**
- add: *ALLOCASUARINA* L. A. S. Johnson
A. distyla (Vent.) L. A. S. Johnson; NC, CC,
SC, CT, ST
[*C. distyla* Vent.]
- A. inophloia* (F. Muell. & F. M. Bail.)
L. A. S. Johnson; NWS; Q
[*C. inophloia* F. Muell. & F. M. Bail.]
- A. littoralis* (Salisb.) L. A. S. Johnson; NC, CC,
SC, NT, CT, ST, NWS, CWS, NWP; QVT
[*C. littoralis* Salisb.]
- A. luehmannii* (R. T. Baker) L. A. S. Johnson;
NC, NT, ST, NWS, CWS, SWS, NWP,
SWP, SFWP; QVS
[*C. luehmannii* R. T. Baker]
- A. nana* (Sieber ex Spreng.) L. A. S. Johnson;
CC, SC, CT, ST; V
[*C. nana* Sieber ex Spreng.]
- A. paludosa* (Sieber ex Spreng.) L. A. S.
Johnson; CC, SC, CT, ST; VTS
[*C. paludosa* Sieber ex Spreng.]
- A. rigida* (Miq.) L. A. S. Johnson; NC, NT,
NWS; Q
[*C. rigida* Miq.]
- A. torulosa* (Ait.) L. A. S. Johnson; NC, CC,
SC, NT, CT, NWS, CWS; Q
[*C. torulosa* Ait.]
- A. verticillata* (Lamk.) L. A. S. Johnson; CC,
SC, CT, ST, CWS, SWS, SWP; VTS
[*C. verticillata* Lamk., *C. stricta* Ait.]

- Casuarina**
C. cunninghamiana ssp. *cunninghamiana*
delete: NG
- delete: *C. distyla*
- delete: *C. inophloia*
- delete: *C. littoralis*
- delete: *C. luehmannii*
- delete: *C. nana*
- delete: *C. paludosa*
- delete: *C. rigida*
- delete: *C. stricta*
- delete: *C. torulosa*
- CHENOPODIACEAE**
- Atriplex*
add: *A. nessorhina* S. Jacobs; NFWP; QYS
[A. sp. C sensu Jacobs & Pickard]
- A. pseudocampbellata* add: SFWP
- add: *A. sturtii* S. Jacobs; NFWP; QYS
[*A. leptocarpa* f. *minor* R. H. Anderson, *A.*
sp. A sensu Jacobs & Pickard]
- Chenopodium*
C. ambrosioides add: †CWS
- C. carinatum* add: CT
- Enchytraea*
E. tomentosa form a add: SWP
- Halosarcia*
add: *H. halocnemoides* (Nees) P. G. Wilson
ssp. *longispicata* P. G. Wilson; ? NFWP; QYS
- H. pergranulata* ssp. *pergranulata* add: SWP
- add: ssp. *divaricata* P. G. Wilson; NWP,
NFWP; QVS
- add: *H. pluriiflora* P. G. Wilson; NWP; S
- Maireana*
add: *M. rohrachii* (P. G. Wilson) P. G.
Wilson; SWP; S
- Pachycornia*
P. triandra add: NWP
- Salsola*
S. kali var. *kali* add: NC, ST; Eur
- Sclerolaena*
S. muricata
add: var. *muricata*; †CC, NWS, CWS, NWP,
SWP, NFWP, SFWP; QVYS
- Suaeda*
S. sp. A change to: **S. baccifera* Pallas add:
†SFWP
- CONVOLVULACEAE**
- Cuscuta*
C. campestris add: †NFWP
- add: **C. racemosa* Mart.; †ST; V; Amer
- CUNONIACEAE**
- delete: *Ackama*
add: *ACROPHYLLUM* Benth.
- A. australe* (A. Cunn.) Hoogl.; CT
[*A. venosum* Benth., *Calycomis australis* (A.
Cunn.) Hoogl.]
- add: *CALDCLUVIA* D. Don
- C. paniculosa* (F. Muell.) Hoogl.; NC, CC; Q
[*Weinmannia paniculosa* F. Muell., *W.*
paniculata F. Muell., *Ackama muelleri*
Benth., *A. paniculata* var. *hirsuta* Maiden &
Betche, *A. hirsuta* (Maiden & Betche) Cheel]
- delete: *Calycomis*

DILLENIACEAE

*Hibbertia***add:** *H. procumbens* (Labill.) DC.; CC
[*H. angustifolia* Salisb.]*H. sericea* add: NWP; T

ELATINACEAE

*Bergia***add:** *B. perennis* (F. Muell.) F. Muell. ex Benth. form A; NFWP; Y

EPACRIDACEAE

*Leucopogon**L. microphyllus* var. *pilibundus* add: CT

EUPHORBIACEAE

*Euphorbia***add:** *E. dentata* add: †CWS*Phyllanthus**P. maderaspatanus* add: NWS*P. tenellus* add: †CT

EUPOMATIACEAE

*Eupomatisa**E. laurina* delete: NWS

FABACEAE

Fabaceae, Caesalpiniaceae and Mimosaceae as treated here should be reduced to sub-families Faboideae, Caesalpinoideae and Mimoideae of the family FABACEAE.

add: *ABRUS* Adans.*A. precatorius* L.; NC; QY; Asia, Pac I*Bossiaeae***add:** *B. oligosperma* A. Lee; CC*Crotalaria***add:** **C. grahamiana*; add: †NC; India*Dillwynia***add:** *D. cinerascens* R. Br.; SWP; VTSW*Jacksonia***add:** *J. turnerana* Domin; NWP; Q**add:** *LABLAB* Adans.*L. purpureus* (L.) Sweet; NC; India
[*Dolichos lablab* L.]*Lupinus**L. cosentinii* add: †NC*Macrotilium***add:** **M. atropurpureum* (DC.) Urban; †NC,
†CC; Q; C Amer, Afr
[*Phaseolus atropurpureus* DC.]**add:** **MACROTYLOMA* (R. Wight & Arnott)
Verdcourt***M. axillare** (E. Mey.) Verdcourt; †NC; Afr
[*Dolichos axillaris* E. Mey.]*Psoralea***add:** *P. pallida* N. Burb.; NWP, SWP, NFWP,
SFWP; QVYS
[*P. sp. (aff. patens)* sensu Jacobs & Pickard]*Pultenaea**P. ferruginea* var. *deanei* add: SC*P. vrolandii* add: SWS*Sesbania**S. cannabina* var. *cannabina* add: NWS*Tephrosia**T. grandiflora* add: †SC*Trifolium**T. alexandrinum* add: †NC, †CC, †NWS
T. fragiferum add: *SWP

FLACOURTIACEAE

add: *DOVYALIS* E. Mey.***D. caffra** Warb.; †CC; S Afr*Xylosma***add:** *X. terrae-reginae* White & Sleumer;
NC; Q

FRANKENIACEAE

*Frankenia***add:** *F. crispa* J. M. Black; SFWP; VS

GERANIACEAE

*Geranium**G. homeanum* add: NT, ST, NWS*G. neglectum* add: SC

GOODENIACEAE

*Goodenia***add:** *G. elongata* add: SWS***G. varia*** add: ?SWP

GYROSTEMONACEAE

*Codonocarpus***correct to:** *C. cotnifolius**Gyrostemon**G. australasicus* **correct to:** (Moq.) Heimerl

HYPERICACEAE

*Hypericum**H. japonicum* add: SWS

LAMIACEAE

*Mentha***add:** *M. pulegium* add: †NC*Plectranthus***add:** *P. apreptus* S. T. Blake; NC; Q**add:** *P. argentatus* S. T. Blake; NC; Q*Prostanthera***add:** *P. cruciflora* J. H. Willis; NWS, NT*Salvia****S. reflexa*** add: †SC***S. verbenaca*** add: †CC

LAURACEAE

*Beilschmiedia****B. obtusifolia*** change authors to: (F. Muell. ex Meisn.) F. Muell.*Cassytha****C. glabella*** delete: CT***C. melantha*** delete: NWP**delete:** *C. paniculata***delete:** *C. phaeolasia***add:** *C. racemosa* Nees; NC; Q

LORANTHACEAE

*Muellerina****M. eucaleptoides*** add: SWS

MALVACEAE

*Anoda****A. cristata*** add: †NWP*Malva****M. nicaeensis*** add: †SWS, †?SWP*Malvastrum*

M. coromandelianum add: CC

MENISPERMACEAE
delete: *Fawcettia*

add: PLEOGYNE Miers
P. australis Benth.; NC; QW

Tinospora
add: *T. tinosporoides* (F. Muell.) Forman;
NC; Q
[*Fawcettia tinosporoides* F. Muell.]

MIMOSACEAE

To be treated as the subfamily Mimosoideae of the family FABACEAE

Acacia
A. decora add: SWP
A. falcata add: CWS; delete SWS
A. juncifolia var. *planifolia* add: NT
add: *A. melvillei* Pedley; SFWP
A. paradoxa add: SWP
A. pravissima add: SC
A. wilhelmiiana add: NFWP

MYOPORACEAE

Myoporum
M. montanum add: CWS

MYRTACEAE

Eucalyptus
add: *E. baxteri* (Benth.) Maiden & Blakely; SC; VS; MOHCA
correct to: *E. caliginosa*

add: LOPHOSTEMON Schott

L. confertus (R. Br.) Peter G. Wilson & Waterhouse; NC, †CC; Q
[*Tristania conferta* R. Br.]

L. suaveolens (Soland. ex Gaertn.) Peter G. Wilson & Waterhouse; CC, CT
[*Melaleuca suaveolens* Soland. ex Gaertn., *Tristania suaveolens* (Soland. ex Gaertn.) Sm.]

Melaleuca

delete: *M. halmaturorum*

Tristania

delete: *T. conferta*

delete: *T. laurina*

delete: *T. suaveolens*

add: TRISTANIOPSIS Brongn. & Gris.

T. collina Peter G. Wilson & Waterhouse; NC, CC, SC, CT, ST; Q

T. laurina (Sm.) Peter G. Wilson & Waterhouse; NC, CC, SC; QV

[*Melaleuca laurina* Sm., *Tristania laurina* (Sm.) R. Br.]

OLEACEAE

Notelaea

N. microcarpa var. *microcarpa* add: ST

Olea

O. africana add: †CWS

ONAGRACEAE

Ludwigia

L. octovalvis add: SWP

OROBANCHACEAE

Orobanche

O. minor add: †SWP

OXALIDACEAE

Oxalis

O. articulata change distributions to: †NC,
†CC, †ST, †SWS; V; S Amer

O. bowiei add: †SWS; V; delete: SWP

O. brasiliensis add: †NC, †SWS

add: *O. chnoödes* Lourt.; NC, CC, SC; Q; NG

O. corniculata change distributions to: †CC,
SC; QVS; ?S. Amer

delete: *O. corymbosa*

add: *O. debilis* Kunth

var. *corymbosa* (DC.) Lourt.; †LHI, CC, SC;
VS; S Amer

[*O. corymbosa* DC.]

add: *O. exilis* A. Cunn.; NC, CC, SC, NT, CT,

ST, CWS, SWS; QVT; NZ

O. incarnata delete: SC, SWS; add: CWS

add: **O. mallobalba* Cav.; †CWS; S Amer

add: *O. perennans* Haw.; NC, CC, CT, ST,
NWS, CWS, SWS, NWP, SWP NFWP,
SWFP; VS; S Afr

O. pes-caprae add: †NFWP, †SFWP

O. purpurea change distribution to: †CC, †CT,

†ST; VSW; S Afr

add: *O. radicans* A. Rich.; LHI, NC, CC, SC,

NT, CT, ST, NWS, CWS, SWS, NWP;

QVS; Asia, Afr

add: *O. rubens* Haw.; LHI, NC, CC, SC;

QVTS; NZ

add: *O. sp.*; CC, CT, NWS; V; ?NZ

PASSIFLORACEAE

Passiflora

P. mollissima add: †CC

PITTOSPORACEAE

Bursaria

B. longisepala add: ST

PLANTAGINACEAE

Plantago

P. coronopus ssp. *coronopus* add: †CT

POLYGONACEAE

add: *FALLOPIA Adans.

**F. convolvulus* (L.) A. Löve; †NC, †CC, †SC,
†NT, †CT, †ST, †NWS, †CWS, †SWS,
†NWP, †SWP; W; Eur, Asia, Afr, Amer
[*Polygonum convolvulus* L.]

add: PERSICARIA Mill.

P. attenuata (R. Br.) Soják; NC, NWP, SFWP;
QYSW

[*Polygonum attenuatum* R. Br.]

**P. capitata* (Hamilton ex D. Don) Gross; †NC,
†CC; Asia

[*Polygonum capitatum* Hamilton ex D. Don]

P. dichotoma (Blume) Masam.; NC; Q; Asia, S Afr

[*Polygonum dichotomum* Blume]

P. elatior (R. Br.) Soják; NC, CC, SC; Q

[*Polygonum elatius* R. Br.]

P. hydropiper (L.) Spach; NC, CC, SC, NT,
CT, ST, NWS, CWS, SWS, SWP; QV;

Eur, Asia, Amer

[*Polygonum hydropiper* L.]

P. lapathifolia (L.) S. F. Gray; NC, CC, SC,
NT, CT, ST, NWS, CWS, SWS, NWP,
SWP, NFWP, SFWP, QVTYS; Eur, Asia,
Amer

[*Polygonum lapathifolium* L.]

P. orientalis (L.) Spach; NC, CC, SC, NWS,

- CWS, SWS, NWP, SWP; QY; India, Asia
 [*Polygonum orientale* L.]
- **P. maculata* (Rafin.) Löve & Löve; †SC, †CT,
 †ST; VT; Eur
 [*Polygonum persicaria* L.]
- P. prostrata* (R. Br.) Soják; CC, NT, CT, ST,
 NWS, CWS, SWS, NWP, SWP;
 QVTYSW; NZ
 [*Polygonum prostratum* R. Br.]
- P. strigosa* (R. Br.) Gross; NC, CC, CT; Q;
 India, China
 [*Polygonum strigosum* R. Br.]
- P. sp. A*; NC, CC, SC, NT, CT, ST, NWS,
 SWP; QVTYSW; NZ
 [*Polygonum decipiens* R. Br.]
- P. sp. B*; NC, CC, SC, NT, CT, ST, SWS; VT;
 India
 [*Polygonum praetermissum* Hook. f.]
- P. sp. C*; NC, CC, SC, QVTW; N Caled
 [*Polygonum subsessile* R. Br., *Polygonum minus* ssp. *subsessile* (R. Br.) Danser]
- Polygonum*
 delete: *P. attenuatum*
 delete: *P. capitatum*
 delete: *P. convolvulus*
 delete: *P. cuspidatum*
 delete: *P. decipiens*
 delete: *P. dichotomum*
 delete: *P. elatius*
 delete: *P. hydropiper*
 delete: *P. lapathifolium*
 delete: *P. orientale*
 add: **P. patulum* Bieb.; †NWS, †CWS, †SFWP;
 VS; Eur
 delete: *P. persicaria*
P. plebeium add: CWS
 delete: *P. praetermissum*
 delete: *P. prostratum*
 delete: *P. sachalinense*
 delete: *P. strigosum*
 delete: *P. subsessile*
 add: *REYNOUTRIA Houtt.
**R. japonica* Houtt.; †SWS; Japan
 [*Polygonum cuspidatum* Siebold & Zucc.]
- **R. sachalinensis* (F. Schmidt) Nakai; †CT;
 V; Asia, Eur
 [*Polygonum sachalinense* F. Schmidt]
- PORTULACACEAE
Calandrinia
 add: *C. granulifera* Benth.; SWS, SWP; VV
 [*C. neesiana* Hj. Eichler, *C. pygmaea* F.
 Muell.]
 delete: *C. neesiana*
- PRIMULACEAE
Lysimachia
L. vulgaris var. *davurica*
 correct author to: (Lebedour) R. Knuth
- PROTEACEAE
Banksia
 add: *B. aemula* R. Br.; NC, CC, Q
 [*B. serratifolia* Salisb.]
 delete: *B. aspleniiifolia*
 add: *B. conferta* A. S. George var. *penicillata*
 A. S. George; CT
B. marginata add: SWP
 add: *B. oblongifolia* Cav.; NC, CC; Q
 [*B. aspleniiifolia* Salisb., *B. robur* var. *minor*
 Maiden & Camfield]
- delete: *B. serratifolia*
Grevillea
 add: *G. sp. aff. aspleniiifolia*; NT
 add: *G. sp. aff. miqueliania*; NT; Q
- RANUNCULACEAE
Clematis
C. fawcettii delete: NT
- RHAMNACEAE
Pomaderris
P. discolor add: SC
P. eriocephala add: SC
P. prunifolia add: CWS
- RUBIACEAE
Asperula
A. scoparia delete: var. *scoparia*, var. *ulicina*;
 add to synonymy: *A. scoparia* var. *ulicina*
 Airy Shaw & Turrill
- Richardia*
 add: **R. scabra* L.; †NC; Amer, Afr
- RUTACEAE
Acronychia
 add: *A. sp.*; NC
- Boronia*
B. barkeriana delete: NC
B. ledifolia add: ST
B. parviflora add: NC
B. repandra correct to: *repanda*
B. thujona add: NC
- Eriostemon*
E. trachyphyllus add: CWS
- SAPOTACEAE
Amorphospermum
 add: *A. whitei* Aubr.; NC; Q
- Niemeyera*
 delete: *N. prunifera*
- SCROPHULARIACEAE
Bacopa
 add: **B. amplexicaulis* (Pursh) Wattst.; †NC;
 Amer
Buchnera
B. gracilis add: NWS
 delete: *B. urticifolia*
- Kickxia*
K. sieberi add: †NWP, †NFWP
- Linaria*
L. arvensis add: SWP
 delete: *L. dalmatica*
L. genistifolia change to:
L. genistifolia ssp. *genistifolia*
 add: ssp. *dalmatica* (L.) Maire & Petitmergin;
 †NT, †CWS, †SWP; Eur
 [*L. dalmatica* (L.) Miller]
L. pelisseriana add: †NWS, †SWP
- Veronica*
V. persica add: CWS
- SOLANACEAE
 delete: *Anthocercis*
Capiscum
 add: **C. annuum* L. var. *glabriusculum* (Dunal)
 Heiser & Prickersgill; †NWS; QY; Mexico

- add:** CYPANTHERA Miers
C. anthocercidea (F. Muell.) Haegi; ?CC; V
 [Anthocercis frondosa (Miers) J. M. Black, *A. eadesii* F. Muell.]
- C. albicans** (A. Cunn.) Miers
 [Anthocercis albicans A. Cunn.]
ssp. albicans; CC, NT, CT, ST, CWS; QV
 [C. ovalifolia Miers]
ssp. tomentosa (Benth.) Haegi; CWS, SWS,
 NWP, SWP
 [Anthocercis albicans var. tomentosa Benth.]
- ssp. notabilis** Haegi; NWS
 [Anthocercis albicans sensu Maiden &
 Betche]
- C. scabrella** (Benth.) Miers; CC, CT
 [Anthocercis scabrella Benth.]
- Phytalis*
delete: *P. angulata*
- add:** **P. ixocarpa* Brot. ex Hornem.; †LHI,
 †NC, †CC, †NT, †NWS, †CWS, †NWP;
 Q; Amer
- add:** **P. lanceifolia* Nees; †NWP; Q; Amer
delete: *P. longifolia* – leave as *P. minima*
- P. virginiana* **delete:** f. *macrophysa*; **add:** var.
sonorae (Torrey) Waterfall; †NWS,
 †CWS, †SWP; Q; N Amer
- add:** **P. viscosa* L.; †SWS, †SWP; QVSW;
 Amer
- Solanum*
S. linearifolium **add:** NT
S. rostratum **add:** †NC
- STERCULIACEAE**
Rulingia
add: *R. dasypylla* (Andr.) Sweet; NC, CC, SC,
 NT, CT, NWS, CWS; QV
 [R. pannosa R. Br.]
- delete:** *R. pannosa*
- THYMELAEACEAE**
Pimelea
P. axiflora
replace ssp. A by: ssp. *axiflora*
replace ssp. B by: ssp. *alpina* (F. Muell. ex
 Benth.) Threlfall
- add:** *P. bracteata* Threlfall; ST
 [*P. ligustrina* var. *glabra* Maiden & Betche,
 P. sp. B sensu Jacobs & Pickard]
- P. curviflora*
replace ssp. A by: ssp. *curviflora*
replace ssp. B by: ssp. *micrantha* (F. Muell. ex
 Meisn.) Threlfall
- replace ssp. C by:** ssp. *gracilis* (R. Br.) Threlfall
 [*P. gracilis* R. Br.]
- replace var. A by:** var. *gracilis*
replace var. B by: var. *sericea* Benth.
replace var. C by: var. *divergens* Threlfall
replace var. D by: var. *subglabra* Threlfall
replace var. E by: var. *acuta* Threlfall
- add:** *P. elongata* Threlfall; NWP; QS
P. flava
replace ssp. B by: ssp. *dichotoma* (Schlecht.)
 Threlfall
- P. latifolia*
replace ssp. A by: ssp. *latifolia*
replace ssp. B by: ssp. *altior* (F. Muell.)
 Threlfall
 [P. *altior* F. Muell., *P. altior* var. *typica*
 Domin]
- replace var. A by:** var. *altior*
replace var. B by: var. *parvisolia* Domin
replace ssp. C by: ssp. *hirsuta* (Meisn.)
 Threlfall
- replace ssp. D by:** ssp. *elliptifolia* Threlfall
P. ligustrina
replace ssp. A by: ssp. *ligustrina*
 [P. *elata* F. Muell. ex Meisn.]
- replace ssp. B by:** ssp. *ciliata* Threlfall
replace ssp. C by: ssp. *hypericina* (A. Cunn. ex
 Hook.) Threlfall
- P. linifolia*
replace ssp. A by: ssp. *linifolia*
replace ssp. B by: ssp. *collina* (R. Br.) Threlfall
replace ssp. C by: ssp. *linoides* (A. Cunn.)
 Threlfall
- replace ssp. D by:** ssp. *caesia* Threlfall
P. microcephala
replace ssp. A by: ssp. *microcephala*
add: *P. neo-anglica* Threlfall; NT, NWS; Q
 [P. sp. C sensu Jacobs & Pickard]
- P. octophylla*
replace ssp. B by: ssp. *ciliolaris* Threlfall
- P. simplex*
replace ssp. A by: ssp. *simplex*
replace ssp. B by: ssp. *continua* (J. M. Black)
 Threlfall
- add:** *P. venosa* Threlfall; NT, NWS
delete: species A to D
- URTICACEAE**
Phyla
add: AUSTRALINA Gaudich.
A. pusilla Gaudich.; NC, SC, NT, CT, ST; VT
 [A. muelleri Wedd.]
- VERBENACEAE**
Phyla
add: *P. nodiflora* add: †CWS
- VISCACEAE**
Korthalsella
delete: *K. japonica*
add: *K. rubra* (Tiegh.) Endl.
ssp. rubra; LHI, NC, CC, SC, NT, CT, ST;
 QV; NG
 [*K. howensis* (Tiegh.) Endl., *K. opuntia* auct.
 non (Thunb.) Merr., *K. japonica* auct. non
 (Thunb.) Engl., *K. brassiana* auct. non
 Blakely]
ssp. geijericola Barlow; NWS, CWS, SWS,
 NWP, SWP; Q
- WINTERACEAE**
Tasmannia
T. insipida correct synonym to: *T. dipetala*
T. lanceolata add: SC; **delete:** NT
T. xerophila **delete:** NC, NT

Manuscript received 16.3.1983